

SUBJECT: Hardware End of Life Announcement – *RE-600-2048*
BULLETIN NUMBER: PSN-2008-02-018
BULLETIN TYPE: Product Support Notification
AFFECTED PRODUCTS: *RE-600-2048-BB, RE-600-2048-R, RE-600-2048-S, RE-600-2048-WW-S*
ISSUE DATE: February 15, 2008
REVISION: 1.0

OVERVIEW:

This document announces the End of Life (EOL) for RE-600-2048 models shown in the table below. The EOL announcement for these products is effective February 15, 2008 with a last order date of August 15, 2008. Effective August 15, 2008, these RE-600-2048 products will be removed from the price list and will no longer be orderable. This affects M5, M10, M20, M40, M40e, M160, T320, and T640 customers.

RE-A-1000-2048 and RE-A-2000-4096 are the replacement products.

AFFECTED PRODUCT(S):

EOL Model Number	EOL Part Number	Product Description	Platforms Supported
RE-600-2048-BB	740-005022, 740-016484	Routing Engine board spare (600 MHz Pentium III, 2048 MB DRAM, 1G flash drive, 40 GB hard disk drive, JUNOS US domestic) - Requires JUNOS 5.4 or later	M5, M10, M20, M40, M40e, M160, T320, T640
RE-600-2048-R	740-005022, 740-016484	Routing Engine board spare (600 MHz Pentium III, 2048 MB DRAM, 1G flash drive, 40 GB hard disk drive, JUNOS US domestic) - Requires JUNOS 5.4 or later	M20, M40e, M160, T320, T640
RE-600-2048-S	740-005022, 740-016484	Routing Engine board spare (600 MHz Pentium III, 2048 MB DRAM, 1G flash drive, 40 GB hard disk drive, JUNOS US domestic) - Requires JUNOS 5.4 or later	M5, M10, M20, M40, M40e, M160, T320, T640
RE-600-2048-WW-S	740-005022, 740-016484	Routing Engine board spare (600 MHz Pentium III, 2048 MB DRAM, 1G flash drive, 40 GB hard disk drive, JUNOS worldwide) - Requires JUNOS 5.4 or later	M5, M10, M20, M40, M40e, M160, T320, T640

REPLACEMENT PRODUCT(S):

Model Number	Product Description	Minimum Software Release Required	Platforms Supported
RE-A-1000-2048-BB	Routing engine with	8.0R2 (M120 only), 8.1	M40e, M120

	1000MHz CPU and 2GB memory, Base Bundle		
RE-A-1000-2048-R	Routing engine with 1000MHz CPU and 2GB memory, Redundant	8.0R2 (M120 only), 8.1	M40e, M120
RE-A-1000-2048-S	Routing engine with 1000MHz CPU and 2GB memory, Spare	8.0R2 (M120 only), 8.1	M40e, M120
RE-A-1000-2048-WW-S	Routing engine with 1000MHz CPU and 2GB memory, Spare (JunOS Worldwide)	8.0R2 (M120 only), 8.1	M40e, M120
RE-A-2000-4096-BB	Routing engine with 2000MHz processor and 4GB memory, Base Bundle	8.1	M320,T320, T640, TX, T1600
RE-A-2000-4096-R	Routing engine with 2000MHz CPU and 4GB memory, Redundant	8.0R2 (M120 only), 8.1	M120, M320,T320, T640, TX, T1600
RE-A-2000-4096-S	Routing engine with 2000MHz CPU and 4GB memory, Spare	8.0R2 (M120 only), 8.1	M120, M320,T320, T640, TX, T1600
RE-A-2000-4096-WW-S	Routing engine with 2000MHz CPU and 4GB memory, Spare (JunOS Worldwide)	8.0R2 (M120 only), 8.1	M120, M320,T320, T640, TX, T1600

END OF LIFE TIMETABLE:

(in chronological order.)

EOL Timetable Milestone	Definition of Action	Effective Date
End-of-sale and end-of-service announcement	Product Support Notification released that announces end of life of a product.	2/15/08
End-of-sale	Last day to buy product, order a new service contract, or add product to an existing support contract. Thereafter, products and services are removed from price lists.	8/15/08
End-of-warranty service conversion	Last date to convert warranty coverage for products purchased prior to EOL to a support contract.	8/15/09
First service step-down	The available services offerings for the product will be capped at Next-day and Next-day Onsite support. Same-day and Same-day onsite support will be discontinued.	8/15/10
Last software engineering support	Last date that new (that is, non maintenance) software releases will support the product. After this date, new software releases may not support the product. Maintenance releases of the major software releases issued prior to this date will support the product within the current JUNOS software EOL guidelines.	5/15/12
Second service step-down	The available J-Care services offerings for the product	8/15/12



	will be capped at Core and CorePlus support. The available JNSAC service offerings will be capped at Basic, RTF and AR-5. Next-day and Next Day Onsite support will be discontinued.	
End-of-service contract renewal date	Last date to renew or extend existing support contracts. Support cannot extend beyond the end-of-support date.	8/15/12
Last hardware engineering support	Last date that hardware engineering will support the product.	8/15/13
End-of-service date	Last date to receive contracted service (including hardware and software bug fixes, and logistics replacement or repair services) for the product. Limited support will be offered on a per-incident, non-contracted basis only, at the discretion of Juniper Networks.	8/15/13

For more EOL product information and announcements please go to the following URL:
<https://www.juniper.net/alerts/>

For more EOS information, please go to the following URL:
<http://www.juniper.net/support/eol/>

If you have any questions concerning this notification, please contact Juniper Networks Customer Service.

Juniper Networks Customer Service may be contacted in one of several ways:

Via Telephone:
 In the U.S., Canada, and Mexico: 888-314-JTAC
 All other countries dial: 408-745-2121

Via the web @ <http://www.juniper.net/support/>